

PTO/SB/33 (07-05)

Doc Code: AP.PRE.REQ

Approved for use through xx/xx/200x. OMB 0651-00xx

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

		Docket Number (Optional)		
PRE-APPEAL BRIEF REQUEST FOR REV	EW		4515-0103P	
Application		umber	Filed	
	10/700,551-Conf. #6092		November 5, 2003	
	First Named Inventor Sang-Ho LEE			
	Art Unit		Examiner	
	3731		C. H. Sam	
with this request.  This request is being filed with a notice of appeal.  The review is requested for the reason(s) stated on the attandard Note: No more than five (5) pages may be provided.		<b>.</b>		
applicant /inventor.  assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)  attorney or agent of record.	_ ) _		Signature ames T. Eller, Jr. ped or printed name	
Registration number				
x attorney or agent acting under 37 CFR 1.34.  Registration number if acting under 37 CFR 1.34.	,538		703) 205-8000 elephone number May 17, 2006 Date	
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.     X   *Total of 1   forms are submitted.				



## Box AF PRE-APPEAL BRIEF REQUEST FOR REVIEW EXPEDITED PROCEDURES EXAMINING GROUP 3731

PATENT 4515-0103P

## IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:

Sang-Ho LEE

Conf. No.:

6092

Appl. No.:

10/700,551

Group:

3731

Filed:

November 5, 2003

Examiner:

C.H. Sam

For:

DISPOSABLE SURGICAL SCALPEL

# PRE-APPEAL BRIEF REQUEST FOR REVIEW REASONS

#### MS AF

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Examiner's Office Action dated March 8, 2006, the following reasons in support of a Pre-Appeal Brief Request for Review are respectfully submitted in connection with the above-identified application. A Notice of Appeal is being filed on even date herewith.

### REASONS

Claims 2-6 are now present in this application. Claims 2 and 4-6 are independent.

Application No.: 10/700,551

Art Unit 3731

Attorney Docket No. 4515-0103P Pre-Appeal Brief Request for Review Page 2

### Background

On March 8, 2006, in a final Office Action, claims 2-6 were rejected under 35 USC § 103(a) as unpatentable over U.S. Patent 5,571,127 to DeCampli in view of U.S. Patent 5,344,424 to Roberts and further in view of U.S. patent 5,599,351 to Haber.

On April 4, 2006, Applicant's below-named representative asked Examiner Sam to reconsider the rejection, indicating, among other things, that most of Applicant's arguments presented in the Amendment filed on August 10, 2005 were not addressed in the March 8, 2006 Office Action, and asking the Examiner to consider those arguments. A four-line response to Applicant's arguments is found on page 3 of the March 8, 2005 Office Action. Later the same day, Examiner Sam informed Applicant's below-named representative that he had reconsidered the final rejection and decided to adhere to it.

# Grounds of Rejection and Review/Rebuttal Reasons

Claims 2 and 3 stand rejected under 35 U.S.C. §103(a) as being unpatentable over U.S. Patent 5,571,127 to DeCampli in view of U.S. Patent 5,344,424 to Roberts et al. ("Roberts") and further in view of U.S. Patent 5,599,351 to Haber et al. ("Haber"). This rejection is respectfully traversed.

Application No.: 10/700,551

Art Unit 3731

Pre Appeal Brief Peguest for Pavious

Art Unit 3731 Pre-Appeal Brief Request for Review

Page 3

The final Office Action fails to make out a prima facie case of obviousness of the claimed invention for a number of reasons. Proper motivation to modify DeCampli, the base reference in this rejection, in view of the two secondary references is missing at least because of (1) a fundamental mis-interpretation of the meaning of the language "integrally fixed" in the clause "a blade-fixing member to which a rear end of the blade is integrally fixed," resulting in the proposed modification of DeCampli by Roberts which will result in DeCampli not being able to use scalpel blades having standard surgical posts, as shown, for example, in Fig. 3 of DeCampli, which is a stated object of DeCampli's invention, thereby teaching away from the proposed modification of DeCampli in view of Roberts; (2) the absence of any need in DeCampli to be modified to achieve a one-piece blade and blade-holder feature; (3) the absence of any deficiency in DeCampli that would properly motivate a skilled worker to modify DeCampli, as suggested; (4) the significant fundamental differences between the blade holder features of the applied references, including DeCampli's single finger operated, top mounted button 27, versus Roberts' side mounted single knob 42 that is movable between three distinct positions, as explained in the Abstract, versus Haber's side mounted plural detents (D1, 14, 16, 26, , etc.).

The Office Action also is improper because it never provides details about how DeCampli is to be modified to result in a properly working scalpel. Instead of explaining how DeCampli, as proposed to be modified, will result in an Application No.: 10/700,551 Attorney Docket No. 4515-0103P Art Unit 3731

Pre-Appeal Brief Request for Review

Page 4

operative device, the Office Action merely concludes that it would be obvious to modify Haber by having a second fixing projection interlocked with the second fixing groove. However, DeCampli has neither a second fixing projection (the first fixing projection being stated to be button 27) nor a second fixing groove (the first not being identified in the rejection), nor does DeCampli need one to operate properly, nor does the Office Action explain why one of ordinary skill in the art would be motivated to provide a second fixing groove in an unidentified location that may or not be needed, or cause DeCampli to continue to work properly.

Additionally, the final Office Action fails to address numerous arguments presented by Applicant on pages 9-17 of the Amendment filed on August 10, 2005, in violation of the explicit requirement to address all of applicant's arguments, set forth in MPEP §707.07(f). Instead of responding on the merits to Applicant's numerous arguments, the Office Action's Response to Applicant's Arguments provides is less than four full lines on page 3 of the final Office Action and only addresses why the secondary Roberts reference was applied, i.e., to teach a sharp blade integrally fixed to the blade fixing member, instead of addressing why Roberts was needed to modify DeCampli, which already discloses a sharp blade 50 integrally fixed to a blade fixing member (blade carrier 40) and highlights the Examiner's apparent misunderstanding of "integral" to necessarily mean "one-piece," instead of addressing Applicants arguments regarding improper motivation and failure to provide explanatory details of what Application No.: 10/700,551

Art Unit 3731

Attorney Docket No. 4515-0103P Pre-Appeal Brief Request for Review

Page 5

the proposed modification of DeCampli will look like and how it will operate,

leaving such details to further invention.

Accordingly, Applicant respectfully requests that the final rejection of claims 2-6 under 35 USC §103(a) be reversed.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. §§ 1.16 or 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

Bv:

James T. Eller, Jr.

Reg. No.: 39,538

JTE/RJW/af

P.O. Box 747

Falls Church, Virginia 22040-0747

Telephone: (703)205-8000